

Test Your Meningococcal Vaccine Knowledge

- 1. At any given time, how many people carry the meningococcal bacteria?
 - a. 1 in 1000
 - b. 1 in 100
 - c. 1 in 10
 - d. 1 in 2
- 2. Human beings are the only reservoirs in which meningococcal bacteria can live.
 - a. True
 - b. False
- 3. About what percent of confirmed meningococcal disease cases are fatal?
 - a. 1%
 - b. 2%
 - c. 5%
 - d. 10%
- 4. At what age should a person get a meningococcal conjugate vaccination?
 - a. 1-2 years old
 - b. 11-12 years old
 - c. 18-21 years old
 - d. 21 years or older
- 5. What percent of Kansas adolescents currently have at least one of their meningitis vaccinations?
 - a. 64%
 - b. 70%
 - c. 81%
 - d. 88%
- 6. Meningococcal disease is the same as meningitis.
 - a. True
 - b. False

- 7. The early symptoms of meningococcal disease often reflect what other illness?
 - a. mononucleosis
 - b. the flu
 - c. foodborne illnesses
 - d. chicken pox
- 8. What is the bacteria that causes meningococcal disease?
 - a. Neisseria meningitidis
 - b. Escherichia coli
 - c. Salmonella typhi
 - d. Listeria monocytogenes
- 9. Which of these groups is at a higher risk for contracting meningococcal disease?
 - a. Those living in college residence halls
 - b. Those traveling to different countries
 - c. Those who are going into the military
 - d. All of these groups are at higher risk
- 10. Kansas is one of 28 states that requires a meningococcal vaccine for school entry.
 - a. True
 - b. False
- 11. The following are brand names of meningococcal conjugate vaccines:
 - a. M-M-R II and ProQuad
 - b. Menactra and Menveo
 - c. Prevnar 13 and Pneumovax 23
 - d. Gardasil and Cervarix
- 12. There are several different brands of meningococcal vaccines, but they are all interchangeable.
 - a. True
 - b. False

Answers

- 1. At any given time, how many people carry the meningococcal bacteria?
 - a. 1 in 1000
 - b. 1 in 100
 - c. 1 in 10
 - d. 1 in 2
- 2. Human beings are the only reservoirs in which meningococcal bacteria can live.
 - a. True
 - b. False
- 3. About what percent of confirmed meningococcal disease cases are fatal?
 - a. 1%
 - b. 2%
 - c. 5%
 - d. 10%
- 4. At what age should a person get a meningococcal conjugate vaccination?
 - a. 1-2 years old
 - **b. 11-12 years old** the first vaccination is given at this age, with a booster given at age 16-18
 - c. 18-21 years old
 - d. 21 years or older
- 5. What percent of Kansas adolescents currently have at least one of their meningitis vaccinations?
 - a. 64%
 - **b. 70%** resource is MMWR 2016; cdc.gov/mmwr/volumes/66/wr/mm6633a2.htm
 - c. 81%
 - d. 88%
- 6. Meningococcal disease is the same as meningitis.
 - a. True
 - b. False

- 7. The early symptoms of meningococcal disease often reflect what other illness?
 - a. mononucleosis
 - b. the flu
 - c. foodborne illnesses
 - d. chicken pox
- 8. What is the bacteria that causes meningococcal disease?
 - a. *Neisseria meningitidis*
 - b. Escherichia coli
 - c. Salmonella typhi
 - d. Listeria monocytogenes
- 9. Which of these groups is at a higher risk for contracting meningococcal disease?
 - a. Those living in college residence halls
 - b. Those traveling to certain countries
 - c. Those who are in the military
 - d. All of these groups are at higher risk
- 10. Kansas is one of 28 states that requires a meningococcal vaccine for school entry.
 - a. True
 - **b. False** In Kansas, there is no state law requiring a meningococcal vaccination for school entry.
- 11. The following are brand names of meningococcal conjugate vaccines:
 - a. M-M-R II and ProQuad
 - **b.** Menactra and Menveo
 - c. Prevnar 13 and Pneumovax 23
 - d. Gardasil and Cervarix
- 12. There are several different brands of meningococcal vaccines, but they are all interchangeable.
 - a. True
 - **b. False** There are multiple brands, but they are not interchangeable. Talk with your health care provider to ensure you remain on the correct series.