NIS Teen Vaccination Coverage, 2017




Vaccination Coverage Levels

Vaccine	U.S. National Average	Kansas 2016	Kansas 2017	2016-2017 Kansas
	2017			Percentage Point
				Change (+/-)
Tdap, ≥ 1 dose	88.7%	87.3%	89.7%	+2.4%
1000) _ 1 0000				
MenACWY, ≥ 1 dose	85.1%	72.1%	69.7%	-2.4%
HPV vaccine, ≥ 1 dose	65.5%	51.8%	52.4%	+0.6%
HPV vaccine, Up-To-Date ^a	48.6%	35.6%	34.4%	-1.2%
NIS-Teen Immunization Coverage Estimates in the U.S. and Kansas, 2016-2017				
3 Reporting of HPV vaccine doses received changed for 2016. HPV Up-To-Date is now being used to represent a full series. previously reported as > 2 and > 3.				

*Reporting of HPV vaccine doses received changed for 2016. HPV Up-To-Date is now being used to represent a full series, previously reported as \geq 2 and \geq 3 doses of HPV.





Estimated vaccination coverage among adolescents aged 13-17 years, Kansas, NIS-Teen, 2008-2017

≥1 Tdap: ≥1 dose of tetanus, diphtheria, acellular, pertussis vaccine at or after age 10 years.

≥1 MenACWY: ≥1 dose of quadrivalent meningococcal conjugate vaccine.

≥1 HPV: ≥1 dose of human papillomavirus vaccine.

HPV UTD: includes those with \geq 3 doses, and those with 2 doses when the first HPV vaccine dose was initiated at age <15 years and at least five months minus four days elapsed between the first and second dose as specified by Clinical Decision Support for Immunization (CDSi). This update to the HPV recommendation occurred in December of 2016.

APD: Adequate provider data. A revised APD definition was implemented in 2014, retrospectively applied to 2013 data and revised estimates were calculat-



Questions







www.kdheks.gov